

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: ENCLOSED CABINET GLASSWASH
Company name: System Hygiene Ltd
Altham Business Park
Altham
Accrington
Lancs
BB5 5YT
Tel: 01282 777999
Fax: 01282 777900
Email: sales@systemhygiene.co.uk

2. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes and skin.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: SODIUM HYDROXIDE 1-5%
EINECS: 215-185-5 CAS: 1310-73-2
[C] R35

- 1524900 1-5%
CAS: 68154-99-4
[Xi] R41; [Xi] R38
- NITRILOTRIACETIC ACID TRISODIUM SALT 1-5%
CAS: 5064-31-3
[Xn] R22; [Xi] R38; [Xi] R36
- 02845000 1-5%
CAS: 1300-72-7
[Xi] R36

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

SAFETY DATA SHEET
ENCLOSED CABINET GLASSWASH

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: SODIUM HYDROXIDE
WEL (15 min STEL): 2 mg/m³

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Colourless

Odour: Characteristic odour

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble**Viscosity:** Non-viscous**Flash point°C:** >70**pH:** 12-13**10. STABILITY AND REACTIVITY****Stability:** Stable under normal conditions.**Conditions to avoid:** Heat.**Materials to avoid:** Strong oxidising agents. Strong acids.**Haz. decomp. products:** In combustion emits toxic fumes.**11. TOXICOLOGICAL INFORMATION****Hazardous ingredients:** SODIUM HYDROXIDE

IPR MUS LD50 40 mg/kg

ORL RBT LDLO 500 mg/kg

- 1524900

ORL RAT LD50 2.33 ml/kg

- NITRILOTRIACETIC ACID TRISODIUM SALT

ORL RAT LD50 1000-2000 mg/kg

- 02845000

ORL RAT LD50 >7000 mg/kg

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.**12. ECOLOGICAL INFORMATION****Hazardous ingredients:** 1524900

BACTERIA 72H IC50 4900 mg/l

Mobility: Readily absorbed into soil.**Persistence and degradability:** Biodegradable.**Bioaccumulative potential:** No bioaccumulation potential.**Other adverse effects:** Negligible ecotoxicity.**13. DISPOSAL CONSIDERATIONS****NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.**14. TRANSPORT INFORMATION****ADR / RID****UN no:** 1824**ADR Class:** 8**Packing group:** III**Classification code:** C5**Shipping name:** SODIUM HYDROXIDE SOLUTION

SAFETY DATA SHEET
ENCLOSED CABINET GLASSWASH**Labelling:** 8**Hazard ID no:** 80**IMDG / IMO**

UN no: 1824 **Class:** 8
Packing group: III **EmS:** F-A,S-B
Marine pollutant: NO
Labelling: 8

IATA / ICAO

UN no: 1824 **Class:** 8
Packing group: III
Packing instructions: 819(P&CA); 821(CAO)
Labelling: 8

15. REGULATORY INFORMATION**Hazard symbols:** Irritant.**Risk phrases:** R36/38: Irritating to eyes and skin.**Haz. ingredients (label):** SODIUM HYDROXIDE

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.3: R35: Causes severe burns.
R41: Risk of serious damage to eyes.
R38: Irritating to skin.
R22: Harmful if swallowed.
R36: Irritating to eyes.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.